RECODED SEER PUBLIC ACCESS RECORD DESCRIPTION

CASES DIAGNOSED IN 1973-2000

USER FILE*

Submission: November 2002

Follow-up Cutoff Date: December 31, 2000

Documentation Version: April 2003

Diagnosis Years: 1973-2000

* This documentation describes the data files in both the 1973_2000.seer9 and 1992_2000.sj_la_ak directories. Refer to individual variable definitions to determine the differences between the directory files.

Cervix in situ cases after 1995 are not included.

COMPUTER RECORD FORMAT

ITEM NAME	ITEM #	POSITIONS	LENGTH
	0.4	04.02	
SEER registry	01	01-02	2
Case number	02	03-10	8
Record number	03	11-12	2
Type of reporting source	04	13-13	1
County	05	14-16	3
Place of birth	06	17-19	3
Year of birth	07	20-23	4
Age at diagnosis	08	24-26	3
Race/ethnicity	09	27-28	2
Spanish surname or origin	10	29-29	1
Sex	11	30-30	1
Marital status at diagnosis	12	31-31	1
Sequence number	13	32-33	2
Date of diagnosis	14	34-39	6
Primary site ICD-O-2 (1973+)	15	40-43	4
Laterality	16	44-44	1
Morphology ICD-O-2 (1973+)	17	45-50	6
Diagnostic confirmation	18	51-51	1
Extent of disease (12 digit)	19	52-63	12
Site specific surgery (1983-1997)	20	64-65	2
Reason no surgery	21	66-66	1
Radiation	22	67-67	1
Radiation to Brain and/or CNS	23	68-68	1
Radiation sequence with surgery	24	69-69	1
Vital status recode	25	70-70	1
ICD code - cause of death	26	71-71	1
Cause of death	27	72-75	4
Site recode	28	76-80	5
Race recode A	29	81-81	1
Race recode B	30	82-83	2
Age recode	31	84-85	$\frac{-}{2}$
SEER historic stage A	32	86-86	1
SEER modified AJCC stage 3 rd ed (1988+)	33	87-88	2
NHL working formulation	34	89-90	2
Survival time recode	35	91-94	4
Recode ICD-O-2 to 9	36	95-98	4
Site-type edit override	37	99-99	1
Histology edit override	38	100-100	1
Age-site edit override	39	101-101	1
Sequence number - dx conf override	40	102-101	1
•	41		1
Site-type-lat-seq override	42	103-103	
Surgery- diagnostic conf override	42	104-104	1
Report source sequence overrride		105-105	1
Seq-ill defined site override	44	106-106	1
Leuk-Lymph dx confirmation override	45	107-107	1
AJCC stage 3 rd edition (1988+)	46	108-109	2
Tumor Marker 1	48	112-112	1
Tumor Marker 2	49	113-113	1
Review flag for ICD-O codes	50	114-114	1

COMPUTER RECORD FORMAT

ITEM NAME	ITEM#	POSITIONS	LENGTH
Site-behavior override	51	115-115	1
Site-EOD-diagnosis date override	52	116-116	1
Site-laterality-EOD override	53	117-117	1
Site-laterality-morphology override	54	118-118	1
Recode ICD-O-2 to ICD-10	55	119-122	4
ICCC site recode	56	123-125	3
SEER modified ICCC site recode	57	126-128	3
Site recode with Kaposi Sarcoma and mesothelioma	58	129-133	5
Race recode Y	59	134-134	1
Race recode Z	60	135-135	1
Origin recode	61	136-136	1
Cause of Death to SEER Site Recode	62	137-141	5
Tumor Marker 3	63	142-142	1
Number of primaries	64	143-144	2
Surgery of Primary Site	65	145-146	2
Scope of Regional Lymph Node Surgery	66	147-147	1
Number of Regional Lymph Nodes Examined	67	148-149	2
Surgery of Other Regional Site(s),	68	150-150	1
Distant Site(s), or Distant Lymph Node(s)			
Reconstruction–First Course	69	151-151	1
First malignant primary indicator	70	152-152	1
Site Recode (old 4/2002)	71	153-157	5
Site Recode with Kaposi/Mesoth (old 4/2002)	72	158-162	5

ITEM NUMBER/NAME: SEER registry 01 LENGTH: 2 FIELD DESCRIPTION: 01 San Francisco-Oakland SMSA (1973) Connecticut (1973) 02 Metropolitan Detroit (1973) 20 Hawaii (1973) 21 Iowa (1973) 22 New Mexico (1973) 23 25 Seattle (Puget Sound) (1974) Utah (1973) 26 Metropolitan Atlanta (1975) 27 29 Alaska* 31 San Jose-Monterey* 35 Los Angeles* (Year in parentheses refers to first diagnosis year data reported to SEER.) *Note: The yr1992_2000.sj_la_ak directory files contain cases for Alaska, San Jose-Monterey and Los Angeles registries beginning in 1992. Cases have been collected by SEER for these registries prior to 1992 but have been excluded from the public-use file. Case number ITEM NUMBER/NAME: 02 LENGTH: 8 FIELD DESCRIPTION: All numeric All records for each person are assigned a unique number by the SEER Registry. SEER registry and case number are needed to uniquely identify a patient, i.e., case numbers are not unique across registries. ITEM NUMBER/NAME: 03 Record number LENGTH: 2 FIELD DESCRIPTION: All numeric Each record for a person has been assigned a unique number that is independent of the contents of the record.

ITEM NUMBER/NAME: 04 Type of reporting source LENGTH: FIELD DESCRIPTION: Hospital inpatient/outpatient or clinic 1 Laboratory (hospital or private) 3 4 Private medical practitioner 5 Nursing/convalescent home/hospice Autopsy only (only diagnosis of this primary made at autopsy) 6 Death certificate only (only report of this primary is from a death certificate) 05 County ITEM NUMBER/NAME: LENGTH: 3 FIELD DESCRIPTION: 3 digit county code — See http://seer.cancer.gov/manuals/AppendA.pdf for list of valid county codes for each SEER Registry. 999 Unknown county ITEM NUMBER/NAME: Place of birth 06 LENGTH: 3 SEER Place of birth Code — See FIELD DESCRIPTION: http://seer.cancer.gov/manuals/AppendB.pdf for list of SEER Place of birth codes and definitions. ITEM NUMBER/NAME: 07 Year of birth LENGTH: 4 FIELD DESCRIPTION: year - 1850 - forward 9999 (unknown year) 08 ITEM NUMBER/NAME: Age at diagnosis LENGTH: FIELD DESCRIPTION: 000-130 := actual age in years

ITEM NUMBER/NAME: 09 Race/ethnicity

LENGTH: 2

FIELD DESCRIPTION: 01 White

02 Black

03 American Indian, Aleutian, or Eskimo

04 Chinese

05 Japanese

06 Filipino

07 Hawaiian

08* Korean

09* Asian Indian, Pakistani

10* Vietnamese

11* Laotian

12* Hmong

13* Kampuchean

14*** Thai

20** Micronesian, NOS

21** Chamorran

22** Guamanian, NOS

25** Polynesian, NOS

26** Tahitian

27** Samoan

28** Tongan

30** Melanesian, NOS

31** Fiji Islander

32** New Guinean

96** Other Asian, incl. Asian, NOS and Oriental, NOS

97** Pacific Islander

98 Other

99 Unknown

*Code began to be used for 1988+ diagnoses. For cases prior to 1988 it was only used if the person also had a diagnosis of an independent primary after 1987.

**Code began to be used for 1991+ diagnoses. For cases prior to 1991 it was only used if the person also had a diagnosis of an independent primary after 1990.

***Code began to be used for 1994+ diagnoses. For cases prior to 1994 it was only used if the person had a diagnosis of an independent primary after 1993.

ITEM NUMBER/NAME:	10	Spanish surname or origin
LENGTH:		1
FIELD DESCRIPTION:		 Non-Spanish/Non-Hispanic 1* Mexican 2* Puerto Rican 3* Cuban 4* South or Central American (except Brazil) 5* Other specified Spanish/Hispanic Origin (includes European) 6 Spanish/Hispanic, NOS (there is evidence other than surname or maiden name that the person is Hispanic, but he/she cannot be assigned to any category of 1-5) 7** Spanish Surname Only (only evidence of person's Hispanic origin is surname or maiden name) 9 Unknown whether Spanish/Hispanic or not *Code began to be used for 1988+ diagnoses. For cases prior to 1988 it was only used if the person also had a diagnosis of an independent primary after 1987. **Code began to be used for 1994+ diagnoses. For cases prior to 1994 it was only used if the person also had a diagnosis of an independent primary after 1993.
ITEM NUMBER/NAME:	11	Sex
LENGTH:		1
FIELD DESCRIPTION:		1 Male 2 Female
ITEM NUMBER/NAME:	12	Marital status at diagnosis
LENGTH:		1
FIELD DESCRIPTION:		Single (never married) Married Separated Divorced Widowed Unknown

Sequence number

13

LENGTH: 2 FIELD DESCRIPTION: 00 One primary only First of 2 or more primaries 01 Second of 2 or more primaries 02 03 Third of 3 or more primaries Fourth of 4 or more primaries 04 Tenth of 10 or more primaries 10 Eleventh of 11 or more primaries 11 99 Unspecified sequence number ITEM NUMBER/NAME: 14 Date of diagnosis 6 LENGTH: FIELD DESCRIPTION: MMYYYY where 1. MM := month - 01-12, 99 (unknown month) 2. YYYY := year — 1973 - forward ITEM NUMBER/NAME: Primary site ICD-O-2 (1973+) 15 LENGTH: 4 FIELD DESCRIPTION: All four characters of Topography code (eliminate decimal point) as defined in the Topography Section of the International Classification of Diseases for Oncology, Second Edition (ICD-O-2; 1992). Cases diagnosed 1977-1991 were coded using the International Classification of Diseases for Oncology, 1976 Edition (ICD-O-1976). Prior to 1977 diagnoses, cases were coded using the Manual of Tumor Nomenclature and Coding, 1968 (MOTNAC). All cases 1973-1991 were machine converted to ICD-O-2 codes without complete hand review.

ITEM NUMBER/NAME:

ITEM NUMBER/NAME: 16 Laterality

LENGTH: 1

FIELD DESCRIPTION: 0 Not a paired organ

- 1 Right: origin of primary
- 2 Left: origin of primary
- 3 Only one organ involved, right or left origin unspecified
- 4 Bilateral involvement, lateral origin unknown: stated to be single primary

Both ovaries involved simultaneously, single histology

Bilateral retinoblastomas Bilateral Wilms's tumors

9 Paired organ, but no information concerning laterality

See http://seer.cancer.gov/manuals/primsite.laterality.pdf for a list of sites

for which SEER requires information on laterality.

ITEM NUMBER/NAME: 17 Morphology ICD-O-2 (1973+)

LENGTH: 6

FIELD DESCRIPTION: Morphology is a six-digit code consisting of three parts:

A Histologic type (4 digits)

B Behavior (1 digit)

C Grading or differentiation; or for lymphomas and leukemias, designation of T-cell, B-cell or null cell (1 digit)

NOTE: ALL CASES DIAGNOSED 1973-91 HAVE BEEN CONVERTED

TO THE INTERNATIONAL CLASSIFICATION OF DISEASES FOR

ONCOLOGY, SECOND EDITION (ICD-O-2, 1992).

The SEER program has used several different, but related, coding systems for morphology over time. One should be extremely careful when doing any analysis of trends related to morphology. It is suggested that these analyses start with diagnoses no earlier than 1977 and that special attention be paid to the changes for 1986-91 cases due to the use of the *International Classification of Disease for Oncology, Field Trial Edition, March 1988* and for 1992+ cases due to the use of ICD-O-2.

Analyses of morphology data are usually limited to microscopically confirmed cases only.

HISTOLOGY CODING FOR CASES DIAGNOSED 1973-85:

Histologic types are defined in the morphology section of the International Classification of Diseases for Oncology, 1976 Edition (ICD-O, 1976). However prior to the introduction of ICD-O, 1976, morphology was coded using the Manual of Tumor Nomenclature and Coding, 1968 (MOTNAC). With the introduction of ICD-O, 1976, all cases previously coded using MOTNAC were machine converted without hand review using the conversion table, Conversion of Morphology Sections (neoplasms) of 1968 Manual of Tumor Nomenclature and Coding (MOTNAC) and 1965 Systematized Nomenclature of Pathology (SNOP) to 1976 International Classification of Diseases for Oncology, developed by Constance Percy. The morphology codes of ICD-O, 1976, are more specific than those of MOTNAC. Thus, less detailed information on morphology is available for cases diagnosed 1973-76. For example, when using MOTNAC large cell carcinoma is included with carcinoma, not otherwise specified (NOS); when using ICD-O, 1976, large cell carcinoma is a separate entity having its own code. All have been machine converted to ICD-O-2.

ITEM NUMBER/NAME: 17 Morphology (cont'd)

FIELD DESCRIPTION: HISTOLOGY CODING (cont'd)
FOR CASES DIAGNOSED 1973-85:

In addition, the following special morphology codes were used by the SEER Program:

ars
Infiltrating duct carcinoma and lobular carcinoma
Infiltrating duct carcinoma and lobular carcinoma in situ
Intraductal carcinoma and lobular carcinoma
Intraductal carcinoma and lobular carcinoma in situ
Paget's disease with intraductal carcinoma
oduced for coding in approximately 1982
Lennert's lymphoma
Malignant lymphoma, large cell, cleaved, diffuse
Malignant lymphoma, large cell, non-cleaved, diffuse
True histiocytic lymphoma

FOR CASES DIAGNOSED 1986-91:

Histologic types are defined in the morphology section of the *International Classification of Diseases for Oncology, Field Trial Edition, 1986* (ICD-O FT). (This volume is no longer available. It was replaced by the *International Classification of Diseases for Oncology, Field Trial Edition, March 1988* (ICD-O FT 1988). Pages i-vi, 23 of the latter volume list the differences between the two Field Trials, present a summary of the changes to ICD-O, 1976, and define the symbols used in the morphology section. These were converted to ICD-O-2.

FOR CASES DAIGNOSED 1992+:

Histologic types are defined in the morphology section of ICD-O-2. See pages 137+ in ICD-O-2 for additions and changes.

ITEM NUMBER/NAME: 17 Morphology (cont.)

FIELD DESCRIPTION: BEHAVIOR

Behavior codes are also defined in ICD-O-2, 1992. Only in situs (/2) and invasives (malignant) (/3) are collected by SEER.

Note: For bladder only, all in situs (/2) are converted to invasives (/3) before inclusion on this file.

Cervix in situ not required after 1995.

GRADE

Grading and differentiation codes of 1-4, 9 are defined in ICD-O-2; 1992. Grade information may be incomplete for cases diagnosed before 1977.

In the early 1980's, additional codes specifying T-cell, B-cell, or null cell involvement in lymphomas and leukemias (histologies M9590-9940) were introduced by the SEER Program. Because the reporting requirements and medical terminology have changed over time, care should be exercised when analyzing this information.

Code

- 1 Grade I; grade i; grade 1; well differentiated; differentiated, NOS
- 2 Grade II; grade ii; grade 2; moderately differentiated; moderately well differentiated; intermediate differentiation
- 3 Grade III; grade iii; grade 3; poorly differentiated; differentiated
- 4 Grade IV; grade iv; grade 4; undifferentiated; anaplastic
- 5 T-cell; T-precursor
- 6 B-cell; Pre-B; B-Precursor
- 7 Null cell; Non T-non B;
- 8 N K cell (natural killer cell)
- 9 cell type not determined, not stated or not applicable

ITEM NUMBER/NAME: 18 Diagnostic confirmation LENGTH: 1 FIELD DESCRIPTION: Microscopically Confirmed 1 Positive histology Positive exfoliative cytology, no positive histology Positive microscopic confirmation, method not specified Not Microscopically Confirmed 5* Positive laboratory test/marker study Direct visualization without microscopic confirmation 6 7 Radiography and other imaging techniques without microscopic confirmation Clinical diagnosis only (other than 5, 6, or 7) 8 Confirmation unknown 9 Unknown whether or not microscopically confirmed *Used for 1988+ diagnoses only; prior to 1988 these cases are included in code `8' (clinical diagnosis only) ITEM NUMBER/NAME: 19 Extent of Disease (12-digit) LENGTH: 12 FIELD DESCRIPTION: SSSEELPNEXPE Where SSS size of tumor EE clinical extension of tumor L lymph node involvement # of positive nodes examined PN EX number nodes examined PE pathological extension for 1995+ prostate cases only

See http://seer.cancer.gov/manuals/EOD10Dig.pub.pdf for list of valid EOD codes for each site. Coded only for 1988+ cases.

ITEM NUMBER/NAME: 20 Site specific surgery (1983-1997)

LENGTH: 2

FIELD DESCRIPTION: numeric

The actual coding schemes for individual sites and time periods can be viewed at http://seer.cancer.gov/manuals/AppendD.pdf. The discussion below summarizes the information available by site and time period.

This field specifies information on surgery during first course of therapy whether it was cancer-directed or not. (Prior to 1988 SEER did no collect information on surgical procedures if not cancer-directed.) The Reason for No Cancer-directed Surgery field must be used to distinguish among no cancer-directed surgery performed; cancer-directed surgery recommended, unknown if performed; and unknown if cancer-directed surgery performed.

FOR CASES DIAGNOSED 1973-82:

All cases were coded using the following nonspecific scheme:

No Cancer-Directed Surgery/Unknown¹

00 No surgical procedure

09 Unknown if surgery done

Type of Cancer-Directed Surgery

90 Surgery, NOS

¹Code '09' must be used in conjunction with Reason for No Cancer-directed Surgery to distinguish "No cancer directed surgery" from "Unknown if cancer-directed surgery performed" and "Cancer-directed surgery recommended but unknown if given." Code `00' is only used for cases diagnosed only at autopsy.

ITEM NUMBER/NAME: 20 Site specific surgery (1983-1997) (cont'd)

FIELD DESCRIPTION: FOR CASES DIAGNOSED 1983-87:

Detailed schemes were in place for the following sites:

ICD-O Codes	Primary Site
C16.0-C16.9	Stomach
C18.0-C18.9	Colon
C19.9, C20.9	Rectosigmoid, Rectum
C34.0-C34.9	Bronchus and Lung
C44.0-C44.9	Skin (melanomas only)
C50.0-C50.9	Breast
C53.0-C53.9	Cervix Uteri
C54.0-C54.9	Corpus Uteri
C56.9	Ovary
C61.9	Prostate
C67.0-C67.9	Bladder
C64.9, C65.9, C6	6.9 Kidney, Renal Pelvis, Ureter

All other sites are coded to the same nonspecific scheme used for 1973-82 cases (above).

FOR CASES DIAGNOSED 1988-1997:

In addition to the above sites detailed schemes for the following sites were put into place:

ICD-O Codes	Primary Site
C00.0-C14.8	Oral Cavity
C25.0-C25.9	Pancreas
C32.0-C32.9	Larynx
C42.2	Spleen
C41.0-C41.9	Connective tissue
C47.0-C47.9,C49.0-C49.9	Bone
C62.0-C62.9	Testis
C73.9	Thyroid
C77.0-C77.9	Lymph nodes

A general scheme was used for all other sites.

FOR CASES DIAGNOSED 1998+:

This field is blank.

ITEM NUMBER/NAME:	21	Reason for no surgery
LENGTH:		1
FIELD DESCRIPTION:		0 Surgery performed
		No surgery
		 Surgery not recommended Contraindicated due to other conditions; Autopsy Only case Unknown reason for no surgery Patient or patient's guardian refused
		<u>Unknown if surgery performed</u>
		 Recommended, unknown if done Unknown if surgery performed; Death Certificate Only case
		*Codes not used prior to 1988. Code `2' used only for Autopsy Only cases prior to 1988
ITEM NUMBER/NAME:	22	Radiation
LENGTH:	22	1
FIELD DESCRIPTION:		 None Beam radiation Radioactive implants Radioisotopes Combination of 1 with 2 or 3 Radiation, nosmethod or source not specified Other radiation (73-87 cases only) Refused Recommended, unknown if administered Unknown

23 ITEM NUMBER/NAME: Radiation to Brain and/or CNS LENGTH: 1 FIELD DESCRIPTION: 0 None 1 Radiation 7 Refused Recommended, unknown if administered Unknown ITEM NUMBER/NAME: 24 Radiation sequence with surgery 1 LENGTH: 0 FIELD DESCRIPTION: No radiation and/or cancer-directed surgery Radiation prior to surgery 2 Radiation after surgery 3 Radiation before and after surgery 4 5 Intraoperative radiation Intraoper rad w other rad before/after surg 6 Sequence unknown, but both were given ITEM NUMBER/NAME: 25 Vital status recode LENGTH: 1 FIELD DESCRIPTION: 1 Alive Dead 4 Note: Any patient that dies after the follow-up cut-off date is recoded to alive as of the cut-off date.

ITEM NUMBER/NAME: 26 ICD code - cause of death

LENGTH: 1

FIELD DESCRIPTION: 0 Patient alive

8 ICDA-8 9 ICD-9 1 ICD-10

Note: Any patient that dies after the follow-up cut-off date is recoded to alive as of the cut-off date.

ITEM NUMBER/NAME: 27 Cause of death

LENGTH: 4

FIELD DESCRIPTION: 0000 Patient alive or died after follow-up cut-off date

7777 State death certificate or listing not available to SEER Registry

7797 State death certificate available, but underlying cause of death not coded ICDA-8, ICD-9 or ICD-10 code — the following format changes are used by the SEER Program:

- 1. The decimal point is dropped.
- 2. If the cause of death code has an optional fifth digit, the fifth digit is dropped.
- 3. If the cause of death code has only three digits, the code is leftjustified and nine-filled.
- 4. If the cause of death is coded to the supplemental "E" codes, the `E' is dropped.

For example,

CAUSE OF	ICD	SEER
DEATH	CODE	CODE
Cancer of the thyroid	193	1939
Acute appendicitis with	540.0	5400
peritonitis		
Adenocarcinoma of stomach	151.9	1519
Fall on ice	E885	8859

ITEM NUMBER/NAME: 28 Site recode

LENGTH: 5

FIELD DESCRIPTION: For publications SEER has defined major site groups based on primary site and

morphology. See http://seer.cancer.gov/siterecode/icdo2_d01272003/ for SEER

Site Recode Definitions.

LENGTH:

1

FIELD DESCRIPTION: SEER collapses the information available on race for publication. These codes and definitions based on Race/ethnicity are:

Race recode A

White (Race code 01)
 Black (Race code 02)
 Other (Race code 03-98)
 Unknown (Race code 99)

Note: See population documentation on which race variable to use when merging with different versions of population data.

ITEM NUMBER/NAME: 30 Race recode B

LENGTH: 2

ITEM NUMBER/NAME:

FIELD DESCRIPTION: 01 White Non-Hispanic

29

11 White Hispanic

02 Black

03 American Indian

04 Chinese05 Japanese06 Filipino07 Hawaiian08 Other

09 Unknown

31 ITEM NUMBER/NAME: Age recode

2 LENGTH:

FIELD DESCRIPTION: Age 00 00

Ages 01-04 01

Ages 05-09 02

03 Ages 10-14

04 Ages 15-19

Ages 20-24 05

06 Ages 25-29

Ages 30-34 07

08 Ages 35-39

Ages 40-44 09

Ages 45-49 10

Ages 50-54 11

Ages 55-59 12

Ages 60-64 13

14 Ages 65-69

15 Ages 70-74

Ages 75-79 16 Ages 80-84 17

Ages 85+ 18

To obtain five-year age groups that correspond to the population data combine codes 00 and 01.

ITEM NUMBER/NAME: 32 SEER historic stage A

1

LENGTH:

FIELD DESCRIPTION:

- In situ A noninvasive neoplasm; a tumor which has not penetrated the basement membrane nor extended beyond the epithelial tissue. Some synonyms are intraepithelial (confined to epithelial tissue), noninvasive and noninfiltrating.
- Localized An invasive neoplasm confined entirely to the organ of origin. It may include intraluminal extension where specified. For example for colon, intraluminal extension limited to immediately contiguous segments of the large bowel is localized, if no lymph nodes are involved. Localized may exclude invasion of the serosa because of the poor survival of the patient once the serosa is invaded.
- Regional A neoplasm that has extended 1) beyond the limits of the organ of origin directly into surrounding organs or tissues; 2) into regional lymph nodes by way of the lymphatic system; or 3) by a combination of extension and regional lymph nodes.
- Distant A neoplasm that has spread to parts of the body remote from the primary tumor either by direct extension or by discontinuous metastasis (e.g., implantation or seeding) to distant organs, issues, or via the lymphatic system to distant lymph nodes.
- 8 Localized/Regional Only used for Prostate cases.
- 9 Unstaged Information is not sufficient to assign a stage.

All lymphomas and leukemias are considered unstaged (code `9').

This field is produced by collapsing the detailed extent of disease information collected by SEER. Over time several different extent of disease schemes have been used. Thus caution should be exercised when doing trend analyses with this field. For example for prostate a coding artefact between cases before and after 1983 caused a shift of some cases from localized to unstaged.

Note 1: For bladder only, all cases originally staged as in situ were converted to localized before inclusion on this file.

Note 2: For Prostate cases, there will be no stage values of 1 or 2. All localized or regional cases will be collapsed into value 8.

ITEM NUMBER/NAME: 33 SEER modified AJCC stage 3rd ed (1988+)

LENGTH: 2

FIELD DESCRIPTION: 00 - In Situ 31 - IIIA 10 - I 32 - IIIB

11 - IA 12 - IB 13 - IC 33 - IIIC 39 - III, NOS 40 - IV

18 - In Situ and I combined 41 - IVA for bladder only 42 - IVB

19 - I, NOS 49 - IV, NOS

88 - Recode scheme not yet

available II 20 -21 IIA 90 -Unstaged -Not applicable 22 IIB 98 -23 99 -Error condition IIC

29 - II, NOS 30 - III

Coded only for 1988+ cases with the following ICD-O site codes:

 Colon
 C180:C189

 Rectum
 C199,C209

 Lung and Bronchus
 C340:C349

 Breast
 C500:C509

 Cervix
 C530:C539

 Corpus uteri
 C559,C530:C539

Ovary C569 Vagina C529 Vulva C519

Oth fem gen C510:C512,C589

Prostate C619 Bladder C670:C679

For staging criteria refer to Comparative Staging Guide, Volume 1.

ITEM NUMBER/NAME: 34 Non Hodgkin Lymphoma (NHL) working formulation

LENGTH: 2

FIELD DESCRIPTION: Low Grade

01 A: Small, lymphocytic02 B: Follicular, small cleaved

03 C: Follicular, mixed small cleaved and large cell

Intermediate Grade

04 D: Follicular, large cell05 E: Diffuse, small cleaved

06 F: Diffuse, mixed small and large cell

07 G: Diffuse, large cell

High Grade

08 H: Large cell, immunoblastic

09 I: Lymphoblastic

10 J: Small noncleaved; Burkitt's

13 Unclassified Grade

Diffuse, NOS

Diffuse lymphosarcoma

Microglioma Nodular, NOS

Mycosis fungoides (Sezary's)

T-cell lymphoma

Other specified Non-Hodgkin lymphoma

99 Not Non-Hodgkin lymphoma

ITEM NUMBER/NAME: 35 Survival time recode

LENGTH: 4

FIELD DESCRIPTION: YYMM where

1. YY:= number of completed years2. MM:= number of completed months

9999 :=unknown — Survival Time Recode cannot be calculated for this case

The Survival Time Recode is calculated using the date of diagnosis and one of the following: date of death, date last known to be alive, or follow-up cutoff date used for this file (see title page for date for this file). Thus a person diagnosed in May 1976 and who died in May 1980 has a Survival Time Recode of 04 years and 00 months.

EXAMPLE:

Assume December 1985 is used as a follow-up cutoff date, then:

- 1. If a person was known to be alive in April of 1986, December 1985 is used to compute Survival Time Recode.
- 2. A person known to have died in May 1987 is considered alive and Survival Time Recode computed using December 1985 as date of last contact.
- 3. If the last information on a person is that s/he was alive in April 1980, then April 1980 is used.

ITEM NUMBER/NAME: 36 Recode ICD-O-2 to 9

LENGTH: 4

FIELD DESCRIPTION: The primary site and morphology as coded in ICD-O-2 are converted to ICD-9

codes using the Conversion of Malignant Neoplasms by Topography and Morphology from the International Classification of Disease for Oncology, Second Edition (ICD-0-2) to International Classification of Diseases, 9th Revision (ICD-9) and the International Classification of Diseases, 9th Revision, Clinical Modification, Fourth Edition (ICD-9-CM) 4th Ed., 1992 edited by

Constance Percy.

ITEM NUMBER/NAME: 37 Site-type edit override

LENGTH:1

FIELD DESCRIPTION: blank Not Reviewed

1 Reviewed: The coding of an unusual combination of primary site and

histologic type has been reviewed.

ITEM NUMBER/NAME: 38 Histology edit override LENGTH: 1 FIELD DESCRIPTION: blank Not Reviewed Unusual Histology behavior combination reviewed. Unusual Diagnostic Confirmation/Behavior combination reviewed. 2 3 Both scenarios above reviewed. ITEM NUMBER/NAME: 39 Age-site edit override LENGTH: 1 FIELD DESCRIPTION: blank Not Reviewed Reviewed ITEM NUMBER/NAME: 40 Sequence number-dx confirmation override LENGTH: 1 FIELD DESCRIPTION: blank Not Reviewed Reviewed ITEM NUMBER/NAME: 41 Site-type-lat-seq override LENGTH: 1 FIELD DESCRIPTION: blank Not Reviewed Reviewed ITEM NUMBER/NAME: 42 Surgery -diagnostic conf override LENGTH: 1 FIELD DESCRIPTION: blank Not Reviewed Reviewed

ITEM NUMBER/NAME: 43 Report source sequence override

LENGTH: 1

FIELD DESCRIPTION: blank Not Reviewed

1 Reviewed

ITEM NUMBER/NAME: 44 Seq-ill defined site override

LENGTH: 1

FIELD DESCRIPTION: blank Not Reviewed

l Reviewed

ITEM NUMBER/NAME: 45 Leuk-Lymph dx confirmation override

LENGTH: 1

FIELD DESCRIPTION: blank Not Reviewed

1 Reviewed

ITEM NUMBER/NAME: 46 AJCC Stage 3rd Edition (1988+)

LENGTH: 2

FIELD DESCRIPTION: 00 - In Situ 31 - IIIA 10 - I 32 - IIIB

11 - IA 33 - IIIC 12 - IB 39 - III, NOS 13 - IC 40 - IV

13 - IC 40 - IV

18 - In Situ and I combined 41 - IVA
for bladder only 42 - IVB

19 - I, NOS 49 - IV, NOS

20 - II 88 - Recode scheme not yet

available 21 IIA _ 90 -22 IIB Unstaged -98 -23 IIC Not applicable 29 -II, NOS 99 -Error condition 30 -III

Coded only for 1988+ cases with the following ICD-O site codes:

 Colon
 C180:C189

 Rectum
 C199,C209

 Lung and Bronchus
 C340:C349

 Breast
 C500:C509

 Cervix
 C530:C539

 Corpus uteri
 C559,C530:C539

Ovary C569 Vagina C529 Vulva C519

Oth fem gen C510:C512,C589

Prostate C619
Bladder C670:C679

For staging criteria refer to Comparative Staging Guide, Volume 1.

ITEM NUMBER/NAME: 47 Book 6 SEER summ staging guide (1988+)

LENGTH: 2

FIELD DESCRIPTION: 00 In Situ

10 Localized

11 In Situ and Localized combined for Bladder cases only

21 Regional by direct extension

22 Regional by nodes

23 Regional by nodes and direct extension

40 Distant90 Unstaged99 Error

For Staging Criteria refer to Comparative Staging Guide, Volume I.

Note: Care should be used to exclude Lymphomas, Leukemias, Kaposi's sarcoma, Retinoblastoma, Hematopoetic, Reticuloendothelial, Immunnoproliferative, and Myeloproliferative neoplasms.

Note 2: For Breast cases diagnosed 1999, the stage value is blank. An updated EOD scheme is being implemented that will allow accurate coding of stage for 1999+.

ITEM NUMBER/NAME: 48 Tumor Marker 1

LENGTH: 1

FIELD DESCRIPTION: For Breast Cases (ERA 1990+) and Prostate Cases (PAP 1998+)

- 0 None Done
- 1 Positive
- 2 Negative
- 3 Borderline; undetermined whether positive or negative
- 8 Ordered, but results not in chart
- 9 Unknown or no information

For Testicular Cancer Cases (AFP 1998+)

- 0 None Done (SX)
- Within normal limits (S0)
- 4 Range 1 (S1) <1,000 ng/ml
- 5 Range 2 (S2) 1,000 10,000 ng/ml
- 6 Range 3 (S3) >10,000 ng/ml
- 8 Ordered, but results not in chart
- 9 Unknown or no information

For All Other Cases

9 Not applicable

All sites except Breast diagnosed 1990-1997 are coded 9.

All sites diagnosed before January 1, 1990 are coded 9.

Tumor Marker 2

49

ITEM NUMBER/NAME:

LENGTH:	1
FIELD DESCRIPTION:	For Breast Cases (PRA 1990+) and Prostate Cases (PSA 1998+)
	 0 None Done 1 Positive 2 Negative 3 Borderline; undetermined whether positive or negative 8 Ordered, but results not in chart 9 Unknown or no information
	For Testicular Cancer (hCG 1998+)
	 0 None Done (SX) 2 Within normal limits (S0) 4 Range 1 (S1) <5,000 mlU/ml 5 Range 2 (S2) 5,000 - 50,000 mlU/ml 6 Range 3 (S3) to >50,000 mlU/ml 8 Ordered, but results not in chart 9 Unknown or no information
	For All Other Cases
	9 Not applicable
	All sites except Breast diagnosed 1990-1997 are coded 9.
	All sites diagnosed before January 1, 1990 are coded 9.
ITEM NUMBER/NAME: 50	Review flag for ICD-O codes
LENGTH:	1
FIELD DESCRIPTION:	 Primary site and morphology originally coded in ICD-O-2 Primary site and morphology converted without review Primary site converted with review; morphology machine converted without review Primary site machine converted without review, morphology converted with review Primary site and morphology converted with review

ITEM NUMBER/NAME: 51 Site-behavior override

LENGTH: 1

FIELD DESCRIPTION: blank Not Reviewed

1 Reviewed

ITEM NUMBER/NAME: 52 Site-EOD-diagnosis date override

LENGTH: 1

FIELD DESCRIPTION: blank Not Reviewed

1 Reviewed

ITEM NUMBER/NAME: 53 Site-laterality-EOD override

LENGTH: 1

FIELD DESCRIPTION: blankNot Reviewed

1 Reviewed

ITEM NUMBER/NAME: 54 Site-laterality-morphology override

LENGTH: 1

FIELD DESCRIPTION: blankNot Reviewed

1 Reviewed

ITEM NUMBER/NAME: 55 Recode ICD-O-2 to ICD-10

LENGTH:

FIELD DESCRIPTION: The primary site and morphology as coded in ICD-O-2 are converted to ICD-10

codes using the Conversion of Malignant Neoplasms by Topography and Morphology from the International Classification of Disease for Oncology, Second Edition (ICD-O-2) to International Classification of Diseases and Related Health Problems, 10th Revision, 1998 edited by Constance Percy.

ITEM NUMBER/NAME: 56 ICCC site recode 3 LENGTH: FIELD DESCRIPTION: For publications, the International Classification of Childhood Cancer (ICCC) has been defined based on primary site and morphology. See http://seer.cancer.gov/iccc/iarciccc.html for ICCC site recode definitions. ITEM NUMBER/NAME: SEER modified ICCC site recode 57 LENGTH: 3 FIELD DESCRIPTION: For publications, SEER has modified the International Classification of Childhood Cancer (ICCC). See http://seer.cancer.gov/iccc/seericcc.html for SEER modified ICCC site recode definitions. ITEM NUMBER/NAME: Site recode with Kaposi Sarcoma and mesothelioma 5 LENGTH: FIELD DESCRIPTION: For publications, SEER has defined major site groups based on primary site and morphology including Kaposi Sarcoma and mesothelioma. See http://seer.cancer.gov/siterecode/icdo2_d01272003 for SEER Site recode with Kaposi Sarcoma and mesothelioma definitions. ITEM NUMBER/NAME: 59 Race recode Y LENGTH: 1 FIELD DESCRIPTION: White 1 2 Black 3 American Indian Asian/Pacific Islander Unknown Note: See population documentation on which race variable to use when merging with different versions of population data.

ITEM NUMBER/NAME: 60 Race recode Z

LENGTH: 1

FIELD DESCRIPTION: 1 White

4 Non-White 9 Unknown

Note: See population documentation on which race variable to use when

merging with different versions of population data.

ITEM NUMBER/NAME: 61 Origin recode

LENGTH: 1

FIELD DESCRIPTION: 0 Non-Hispanic

1 Hispanic9 Unknown

Note: See population documentation on which race variable to use when

merging with different versions of population data.

ITEM NUMBER/NAME: 62 Cause of Death to SEER Site Recode

LENGTH: 5

FIELD DESCRIPTION: See the following Internet address for specific details:

http://seer.cancer.gov/codecode/1969+_d01272003/index.html

00000=Alive

20010-21040,21050,21060,21071-33010,33040,

34000-37000=All Malignant Cancers

20010-20100=Oral Cavity and Pharynx

20010=Lip 20020=Tongue 20030=Salivary Gland 20040=Floor of Mouth

20050=Gum and Other Mouth

20060=Nasopharynx 20070=Tonsil 20080=Oropharynx 20090=Hypopharynx

20100=Other Oral Cavity and Pharynx

21010-21040,21050,21060,21071-21130= Digestive System

21010=Esophagus 21020=Stomach 21030=Small Intestine

21040,21050=Colon and Rectum 21040=Colon excluding Rectum

21050=Rectum and Rectosigmoid Junction

ITEM NUMBER/NAME: 62 Cause of Death to SEER Site Recode (cont'd)

FIELD DESCRIPTION: See the following internet address for specific details (cont'd):

http://seer.cancer.gov/codrecode/1969+_d01272003/index.html

21060=Anus, Anal Canal and Anorectum

21071-21072=Liver and Intrahepatic Bile Duct

21071=Liver

21072=Intrahepatic Bile Duct

21080=Gallbladder

21090=Other Biliary

21100=Pancreas

21110=Retroperitoneum

21120=Peritoneum, Omentum and Mesentery

21130=Other Digestive Organs

22010-22060= Respiratory System

22010=Nose, Nasal Cavity and Middle Ear

22020=Larynx

22030=Lung and Bronchus

22050=Pleura

22060=Trachea, Mediastinum and Other Respiratory Organs

23000=Bones and Joints

24000=Soft Tissue including Heart

25010-25020= Skin excluding Basal and Squamous

25010=Melanomas of the Skin

25020=Other Non-Epithelial Skin

26000=Breast

27010-27070= Female Genital System

27010=Cervix

27020-27030=Corpus and Uterus, NOS

27020=Corpus

27030=Uterus, NOS

27040=Ovary

27050=Vagina

27060=Vulva

27070=Other Female Genital Organs

28010-28040=Male Genital System

28010=Prostate

28020=Testis

28030=Penis

28040=Other Male Genital Organs

29010-29040= Urinary System

29010=Urinary Bladder

29020=Kidney and Renal Pelvis

29030=Ureter

29040=Other Urinary Organs

30000=Eye and Orbit

31010-31040=Brain and Other Nervous System

31010=Brain

31040=Cranial Nerves Other Nervous System

32010-32020= Endocrine System

32010=Thyroid

32020=Other Endocrine including Thymus

33010,33040=Lymphoma

33010=Hodgkin Lymphoma

33040=Non-Hodgkin Lymphoma

ITEM NUMBER/NAME: 62 Cause of Death to SEER Site Recode (cont'd)

FIELD DESCRIPTION: See the following internet address for specific details (cont'd):

http://seer.cancer.gov/codrecode/1969+_d01272003/index.html

34000=Myeloma

35011-35043=Leukemia

35011-35013=Lymphocytic Leukemia

35011=Acute Lymphocytic Leukemia

35012=Chronic Lymphocytic Leukemia

35013=Other Lymphocytic Leukemia

35021-35023=Myeloid Leukemia

35021=Acute Myeloid Leukemia

35022=Chronic Myeloid Leukemia

35022=Chronic Myeloid Leukemia

35031-35033=Monocytic Leukemia

35031=Acute Monocytic Leukemia

35032=Chronic Monocytic Leukemia

35033=Other Monocytic Leukemia

35041-35043=Other Leukemia

35041=Other Acute Leukemia

35042=Other Chronic Leukemia

35043=Aleukemic, Subleukemic and NOS

37000=Miscellaneous Malignant Cancer

38000=In situ, benign or unknown behavior neoplasm

50000=Tuberculosis

50010=Syphilis

50020=Human Immunodeficiency Virus (1987+)

50030=Septicemia

50040=Other Infectious and Parasitic Diseases

50050=Diabetes Mellitus

50051=Alzheimers (ICD-9 and 10 only)

50060=Diseases of Heart

50070=Hypertension without Heart Disease

50080=Cerebrovascular Diseases

50090=Atherosclerosis

50100=Aortic Aneurysm and Dissection

50110=Other Diseases of Arteries, Arterioles, Capillaries

50120=Pneumonia and Influenza

50130=Chronic Obstructive Pulmonary Disease and Allied Cond

50140=Stomach and Duodenal Ulcers

50150=Chronic Liver Disease and Cirrhosis

50160=Nephritis, Nephrotic Syndrome and Nephrosis

50170=Complications of Pregnancy, Childbirth, Puerperium

50180=Congenital Anomalies

50190=Certain Conditions Originating in Perinatal Period

50200=Symptoms, Signs and Ill-Defined Conditions

50210=Accidents and Adverse Effects

50220=Suicide and Self-Inflicted Injury

50230=Homicide and Legal Intervention

50300=Other Cause of Death

41000=State DC not available or state DC available but no COD

99999=Unknown/missing/invalid COD

ITEM NUMBER/NAME: 63 Tumor Marker 3 LENGTH: 1 FIELD DESCRIPTION: For Testis Cases (LDH 1998+) None Done (SX) 0 2 Within normal limits (S0) Range 1 (S1) <1.5 x upper limit of normal for LDH assay Range 2 (S2) 1.5 - 10 x upper limit of normal for LDH assay 5 Range 3 (S3) >10 x upper limit of normal for LDH assay 8 Ordered, results not in chart Unknown or no information All sites except testis diagnosed 1998+ are coded 9. All diagnosis before 1998 are coded 9. ITEM NUMBER/NAME: Number of primaries 64 LENGTH: 2 01-14 FIELD DESCRIPTION: Note: Based on the total number of records/tumors in SEER, not necessarily this database file. This value is the same across all records for a person. ITEM NUMBER/NAME: 65 Surgery of Primary Site LENGTH: 2 FIELD DESCRIPTION: See http://seer.cancer.gov/manuals/AppendC.pdf for a list of valid codes. ITEM NUMBER/NAME: Scope of Regional Lymph Node Surgery 66 LENGTH: 1 FIELD DESCRIPTION: See http://seer.cancer.gov/manuals/AppendC.pdf for a list of valid codes. ITEM NUMBER/NAME: 67 Number of Regional Lymph Nodes Examined 2 LENGTH: FIELD DESCRIPTION: See http://seer.cancer.gov/manuals/AppendC.pdf for a list of valid codes.

ITEM NUMBER/NAME: 68 Surgery of Other Regional Site(s), Distant Site(s), or Distant Lymph Node(s)

LENGTH: 1

FIELD DESCRIPTION: See http://seer.cancer.gov/manuals/AppendC.pdf for a list of valid codes.

ITEM NUMBER/NAME: 69 Reconstruction-First Course

LENGTH: 1

FIELD DESCRIPTION: See http://seer.cancer.gov/manuals/AppendC.pdf for a list of valid codes.

ITEM NUMBER/NAME: 70 First malignant primary indicator

LENGTH: 1

FIELD DESCRIPTION: 0 = no

1 = yes

Based on all the tumors in SEER.

Tumors not reported to SEER are assumed malignant.

ITEM NUMBER/NAME: 71 Site Recode (old 4/2002)

LENGTH: 5

FIELD DESCRIPTION: Based on ICD-O-2, this variable was used to produce SEER CSR (1973-1999).

Recommended variable for reporting based on the SEER Program Public Use

Data (1973-1999), Nov 2001 submission. See

http://seer.cancer.gov/siterecode/icdo2_d04152002/ for recode definitions.

ITEM NUMBER/NAME: 72 Site Recode with Kaposi/Mesoth (old 4/2002)

LENGTH: 5

FIELD DESCRIPTION: This variable resembles Site Recode (old 4/2002) with the exception that

Kaposi Sarcoma and Mesothelioma are defined as separate site groups. See http://seer.cancer.gov/siterecode/icdo2_d04152002/ for recode definitions.